



## Two Mathematical Models for Railway Crew Scheduling Problem

Amin Khosravi Bizhaem<sup>1</sup>, Mohammad Tamannaeei<sup>2\*</sup>

<sup>1,2</sup>Department of Transportation Engineering, Isfahan University of Technology, Isfahan, Iran.

ARTICLE INFO	ABSTRACT
<p><b>Article history:</b> Received: 27.08.2017 Accepted: 24.10.2017 Published: 14.12.2017</p> <hr/> <p><b>Keywords:</b> Railway Crew Scheduling Problem Assignment Transition reduction Workload</p>	<p>Railway crew scheduling problem is a substantial part of the railway transportation planning, which aims to find the optimal combination of the trip sequences (pairings), and assign them to the crew complements. In this problem, each trip must be covered by at least one pairing. The multiple-covered trips lead to impose useless transfers called “transitions”. In this study, a new mathematical model to simultaneously minimize both costs of trips and transitions is proposed. Moreover, a new mathematical model is suggested to find the optimal solution of railway crew assignment problem. This model minimizes the total cost, including cost of assigning crew complements, fixed cost of employing crew complements and penalty cost for short workloads. To evaluate the proposed models, several random examples, based on the railway network of Iran are investigated. The results demonstrated the capability of the proposed models to decrease total costs of the crew scheduling problem.</p>

### 1. Introduction

Railway crew scheduling is considered as a substantial part of the railway transportation planning. The aim of this problem is to find the optimal combination of the trip sequences, by which, the whole trips of the fleet timetable are covered with lowest price [1]. Different restrictions and rules of the trains and the railway network may cause remarkable complexity for the crew scheduling problem [2]. Because crew wages are considered as one of the main costs associated to the railway transportation system, efficient crew schedules can lead to accumulated savings for the system [3]. Crew scheduling cost includes: cost of crew hiring, cost of dispatching crew complements to the missions, cost of crew inhabitaney outside their homes, cost of crew transport from home depots to the other depots, etc. A small improvement in crew scheduling

can lead to huge savings in annual costs of the railway system, which can justify the competitiveness and profitability of the railway system for the operational companies. Therefore, optimizing the railway crew scheduling problem is of interest, in order to reduce the operational costs and increase the profitability of the system.

The railway crew scheduling problem is based on the train timetable. In this timetable, information and some specifications of the trips are presented [4-6]. Each trip has five specifications, which are considered as input parameters of the crew scheduling problem: home depot, destination depot, trip starting time, trip ending time and hour value (cost) of the trip. A sequence of two or more trips is named as a pairing. A pairing that can satisfy all constraints of the problem (like start-time, end-time, start-depot and end-depot constraints), is called a

\*Corresponding author  
Email address: m.tamannaeei@cc.iut.ac.ir  
<http://tlx.doi.org/.....>

feasible pairing. In a railway crew schedule, all trips of the train timetable must be covered by the feasible pairings. At the first phase of the railway crew scheduling problem, it is necessary to find a set of pairings, which covers all trips at minimal cost. These pairings compose the optimal solution and are considered as the optimal pairings. At the second phase of the railway crew scheduling problem, the optimal pairings must be assigned to the crew complements. In this study, the second phase is named as crew assignment.

### 1.1. Previous studies

During recent years, many studies have been conducted for modelling and solving crew scheduling problem in railway system. Some of these studies are as follows: Caprara, Toth [7] investigated the crew scheduling problem. The objective function of the mathematical model was to find the minimum number of crew in each depot to cover the whole pairings. In another study from Caprara, Fischetti [1] railway crew scheduling problem were studied, with the aim of reducing operating costs and the number of crew required on Italian railways. In their study, all feasible pairings were produced at first. Then, they selected the optimized pairings to reduce costs and minimize the required number of crew complements. The mathematical model proposed in their paper was based on a set covering problem. Ernst, Jiang [8] studied crew planning in Australian railways. They noted that Australian railway network covers long-distance trips, with longer travel times rather than some railways like European railway systems. They proposed a new method appropriate for Australian conditions. Caprara, Monaci [9] proposed an effective technique for integrating the pairing generation and crew assignment phases into a unique phase. Freling, Lentink [10] solved crew scheduling problem by dividing the price for Dutch Railways. In another study, Freling, Huisman [11] proposed a model to simultaneously solve both crew scheduling problem and train scheduling problem. They showed that simultaneous consideration of these two problems can lead to significant benefits for the operational system. Pourseyed and Salahi [12] solved railway crew (conductors) programming using roundtrip and roster algorithms. The purpose of their algorithm was to minimize the number of working days, which corresponds to minimize the number of crew

complements needed. Abbink [13] evaluated crew scheduling problem at Dutch railways. They proposed methods to divide the problem into smaller parts. The results showed that the proposed method could decrease the annual cost of the system, by saving approximately six million Euros per year. Yaghini and Ghanadpour [14] proposed heuristic model for planning railway crews. In their model, the trips that begin and end at the crew home depot were determined. Then, using genetic algorithm, a subset of the pairings that covers all trips with minimal cost, was allocated to the crew complements. Nishi and Muroi [15] solved railway crew scheduling problem with column generation method. In this study, the dual inequality was used to reduce computational times. Juette and Thonemann [16] used divide-and-price method for modelling crew scheduling problem. They divided the whole region into smaller units. In each sub-region, trips were covered individually with possible pairings, but overlapping between sub-regions was allowed. Shijun, Yindong [17] studied crew scheduling problem in China railway. The complexity of their study was due to specific rules of Chinese railways. Based on these rules, it is required to consider time periods for rest of the crew implements. The aim of their study was to reduce the number of shifts according to Chinese railway rules. Chen and Shen [18] presented a mathematical model for the crew scheduling through set covering problem. They solved the problem, using column generation method. In a study from Shen and Peng [19], crew scheduling problem in public transportation was modelled and solved by using genetic algorithm. Hanafi and Kozan [3] proposed a mathematical model to solve the crew scheduling problem with binary variables. They showed that the exact procedure is very time-consuming and complex. So, to find the good solutions in a reasonable time, heuristic methods like Simulated Annealing (SA) was used. Yaghini and Karimi [20] developed a mathematical model based on the set covering problem, to formulate the multi-depot train driver scheduling problem in Iranian railways. Their study was in two phases: pairing generation to build all feasible pairings, and pairing optimization to assign the best possible pairing to each train. To solve the problem, a metaheuristic by combining a tabu search metaheuristic and a new neighbourhood structure was proposed. Peng and Shen [21] presented a new shift evaluation approach for

railway crew scheduling problem. To solve the problem, an evolutionary algorithm based on genetic algorithm (GA) was proposed, experiments show the capability of the proposed approach to generate the schedules better than the best-known solutions. Zhou and Yang [22] focused on urban rail crew scheduling problem and presented a new mathematical model to minimize both the related costs of crew workloads and the variance of workload time spreads. They solved the model by an ant colony algorithm which is based on ant travel path choosing strategy. The performances were assessed by conducting case study on Changsha urban railways. Hoffmann and Buscher [23] focused on multi-period railway crew scheduling problem with attendance rates for conductors. They proposed a new model based on set covering with several essential restrictions. To solve the problem, a hybrid column generation approach was applied, on the basis of genetic algorithm. They showed the efficiency of the proposed approach by a case of German rail passenger network.

The review of the literature on crew scheduling problem shows that according to the requirements and conditions in different countries, a variety of the models have been proposed for crew scheduling problem. In Table 1, a brief review of some works performed on crew scheduling problem is presented.

Table 1. A brief review of the works studied on crew scheduling problem

Authors	Finding			Solution Method	
	Optimal Pairings			Crew	Non-exact
	Set Covering model	models	Other		
		Assignment	Exact		
Caprara & Toth [7]	✗	✓	✓	✓	✗
Caprara & Fischetti [1]	✓	✗	✓	✓	✗
Freling & Lentink [10]	✓	✗	✗	✓	✗

Ernst & Jiang [8]	✗	✓	✓	✓	✗
Pourseyed & Salahi [12]	✗	✓	✓	✗	✗
Yaghini & Ghanadpour [14]	✓	✗	✗	✗	✗
Guillermo & José [24]	✓	✗	✗	✗	✓
Kwan [25]	✓	✗	✗	✓	✗
Jütte & Albers [26]	✓	✗	✗	✓	✗
Juette & Thonemann [16]	✓	✗	✗	✓	✗
Chen & Shen [18]	✓	✗	✗	✓	✗
Shijun & Yindong [17]	✓	✗	✗	✗	✓
Hanafi & Kozan [3]	✗	✓	✗	✗	✓
Yaghini & Karimi [20]	✓	✗	✓	✗	✓
Peng & Shen [21]	✗	✓	✗	✗	✓
Zhou & Yang [22]	✗	✓	✗	✗	✓
Hoffmann & Buscher [23]	✓	✗	✗	✗	✓

As shown in Table 1, most of the previous studies have used set covering approach to

model the railway crew scheduling problem (CSP). In this approach, some trips may be covered by more than one pairing (multiple-covered trips). These trips impose useless transfers to the crew complements, with extra transportation cost.

As shown in Table 1, most of the previous studies have used set covering approach to model the railway crew scheduling problem (CSP). In this approach, some trips may be covered by more than one pairing (multiple-covered trips). These trips impose useless transfers to the crew complements, with extra transportation cost.

### 1.2. Contribution of the research

In this study, a new model for the first phase of the railway CSP is suggested. The proposed model is called “Transition Reduction”, and is capable of simultaneously minimizing both costs of the pairings and the number of transitions. Moreover, a new model for the second phase of the railway CSP is developed to find the optimal solution of the crew assignment. This model attempts to minimize the total cost, including cost of assigning crew complements to the pairings, the fixed cost of employing crew complements and the penalty cost for the short workloads.

## 2. Transition Reduction: A New Model to Find Optimal Pairings

At the first phase of the railway crew scheduling problem, the pairings that constitute the optimal solution (optimal pairings) must be obtained. Most of the previous studies have used “Set Covering Problem (SCP)” to handle this phase. SCP is a prominent combinatorial optimization task which asks to find a collection of subsets to cover all the elements at the minimal cost [24-27]. In railway crew scheduling problem, SCP is defined as follows: Let  $T$  denote a set of trips,  $FP$  a set of all feasible pairings covering the trips. The binary parameter  $a_{pt}$  is the input of the problem, which indicates whether trip  $t$  is in pairing  $p$  or not. This parameter is 1 if pairing  $p$  covers trip  $t$  and 0 otherwise.  $C_p > 0$  is the cost associated with pairing  $p$ . Decision variable is  $x_p$ , where  $x_p = 1$  if  $p$  is a part of the solution schedule and  $x_p = 0$ , otherwise. The model aims to find a subset of  $FP$  at minimal cost but still covering all trips:

$$\text{Minimize } \sum_{p \in FP} C_p x_p \quad (1)$$

*S.t.*

$$\sum_{p \in FP} a_{pt} x_p \geq 1 \quad \forall t \in T \quad (2)$$

$$x_p \in \{0,1\} \quad \forall p \in FP \quad (3)$$

Objective function (Eq. (1)) is to minimize the total cost of the pairings selected. Constraints (2) guarantee that all trips are covered at least once by the selected pairings. Each of these pairings is associated with the origin depot of its first trip. Hence, each depot is responsible to manage a subset of the pairings.

As mentioned, the constraints of the set covering problem guarantee that each trip is observed at least in one of the selected pairings. Some cases may be occurred in which a specific trip is observed in more than one pairing. For such cases, the multiple-covered trips would lead to impose useless transfers to the crew complements, so that they have to transfer to the home depot of their next trip, either by train as train passengers or even by another transportation alternative like bus, airplane, etc. These extra transfers, are named as “transitions” in this paper. Transitions cause additional costs for the management system, leading to reduce the efficiency of the crew schedules. In order to absolutely avoid such transitions, the “Set Partitioning Problem” (SPP) is modelled, other than the Set Covering Problem (SCP). The mathematical model of SPP is as follows:

$$\text{Minimize } \sum_{p \in FP} C_p x_p \quad (4)$$

*S.t.*

$$\sum_{p \in FP} a_{pt} x_p = 1 \quad \forall t \in T \quad (5)$$

$$x_p \in \{0,1\} \quad \forall p \in FP \quad (6)$$

The only difference between SPP and SCP is that the constraints are expressed as equality constraints. Consequently, they ensure that all trips are covered exactly once. In other words, each trip is covered by only one pairing. Hence, in case of SPP, the feasible search space is often much constrained than the one

associated to SCP. This is the reason why the optimal solution of a set partitioning problem is no better than the optimal one of its corresponding set covering problem. By using SPP model other than SCP model, a considerable amount of good solutions may get lost. Since the probability of the transitions increases by enlarging the scale of the problem, solving the large-scale crew scheduling problems through SPP may lead infeasibility. In other words, for large-scale problems, it is rarely likely to cover all trips without any transition.

In this paper, a new model is proposed, in which the advantages of both previous approaches (SCP and SPP) are maintained. In this model, a value of “Penalty” is considered for any extra transition, in order to minimize the number of the transitions, while keeping the feasible search space as much as possible. The model is called as the “Transition Reduction” model, as follows:

$$\text{Minimize } \sum_{p \in FP} C_p x_p + \sum_{t \in T} C'_t (y_t - 1) \quad (7)$$

S.t.

$$\sum_{p \in FP} a_{pt} x_p = y_t \quad \forall t \in T \quad (8)$$

$$y_t \geq 1 \quad \forall t \in T \quad (9)$$

$$x_p \in \{0,1\} \quad \forall p \in FP \quad (10)$$

$$y_t \geq 0, \text{ Integer } \quad \forall t \in T \quad (11)$$

where  $C_p$  and  $C'_t$  are the cost of pairing  $p$  and the penalty cost imposed for each transition of trip  $t$ , respectively. The binary parameter  $a_{pt}$  indicates whether trip  $t$  is in pairing  $p$  or not. The binary variable  $x_p$  equals 1 if pairing  $p$  is selected, and 0 otherwise. The integer variable  $y_t$  represents the number of repetitions of trip  $t$  in pairings of the optimal solution. A trip observed in more than one of the optimal pairings is named as repeated trip. The objective function (Eq. (7)) aims to minimize both cost of the pairings and number of the transitions. According to constraints (8), the frequency of

each trip  $t$  into the pairings of the solution is equal to  $y_t$ . Constraints (9) imply that for each trip  $t$ , variable  $y_t$  must be greater than or equal to unity. These constraints ensure that any trip must be covered at least once, in each feasible solution. The relations (10) and (11) show the variables definition.

### 3. New Model for Railway Crew Assignment

At the second phase of the railway crew scheduling problem, the optimal pairings associated to each depot must be assigned to the crew complements of that depot. A crew complement, consisting of at least one but usually two staff complements, covers a sequence of the pairings of the depot. The total crew assignment cost includes the fixed cost of employing crew complements, in addition to the cost of covering the pairings. The crew assignment can be planned for a specified time interval, which can vary between a few days to few weeks. In this paper, the mentioned interval is said to be planning time horizon. In order to handle the railway crew assignment, a new mathematical programming model is proposed. This model is performed independently for each of the home depots. In the model, the number of crew complements must be optimized, rather than being as input data. The solution assigns the crew complements to the selected pairings associated to a unique home depot. In addition, the workload and the fairness of work distribution are concerned. The proposed model constrains the workload amount of each crew complement, within the acceptable limits  $\bar{W}$  and  $\underline{W}$ , which are defined as the maximum allowed duration and minimum required duration for train driving in a working shift, respectively. It is assumed that the violation of  $\bar{W}$  is not allowed, whereas the crew workloads which are less than  $\underline{W}$  may be accepted by adding penalty costs. Hence, our proposed model accepts the solutions, in which, some crew workloads are less than the minimum required duration ( $\underline{W}$ ). For such solutions, a proportionate penalty cost is imposed to the problem. The notations required to present the model proposed for the second phase of the railway crew scheduling problem are defined in Table 2.

## Two Mathematical Models for Railway Crew Scheduling Problem

The objective function, presented in Eq. (12), attempts to minimize the total cost, including three parts: the cost of assigning crew complements to the pairings, the fixed cost of employing crew complements and the penalty cost for the short workloads (workload penalty cost).

Table 2. Notation of the proposed mathematical model for railway crew assignment

Notation		Description
Sets	$P$	Pairings set of the depot
	$C$	Crew complements set of the depot
Parameters	$NP$	Number of pairings
	$T_p$	Time duration of the pairing $p$
	$ST_p$	Starting time of the pairing $p$
	$ET_p$	Ending time of the pairing $p$
	$\bar{W}$	Maximum allowed duration for driving in a working shift
	$\underline{W}$	Minimum required duration for driving in a working shift
	$C_p^c$	Assignment cost of the crew complement $c$ to the pairing $p$
	$C_c$	Fixed cost of employment of the crew complement $c$
	$U_c$	Workload penalty cost imposed if the workload of crew complement $c$ is less than minimum required duration
	$M$	A large positive integer number
Decision variables	$x_p^c$	(Binary) If the crew complement $c$ is assigned to the pairing $p$ , it is equal to 1; otherwise 0.
	$y_c$	(Binary) If the crew complement $c$ is employed, it is equal to 1; otherwise 0.
	$Z_c$	(Binary) If the total pairings time of the crew $c$ is less than the minimum required, it is equal to 1; otherwise 0.

The model is formulated, as follows:

$$\text{Minimize } \sum_{c \in C} \sum_{p \in P} C_p^c x_p^c + \sum_{c \in C} C_c y_c + \sum_{c \in C} U_c \quad (12)$$

St.

$$\sum_{c \in C} x_p^c = 1 \quad \forall p \in P \quad (13)$$

$$\sum_c y_c \leq NP \quad \forall c \in C \quad (14)$$

$$\sum_{p \in P} x_p^c \leq NP \cdot y_c \quad \forall c \in C \quad (15)$$

$$\sum_{p \in P} x_p^c T_p \leq \bar{W} \cdot y_c \quad \forall c \in C \quad (16)$$

$$\underline{W} y_c - M z_c \leq \sum_{p \in P} x_p^c I \quad \forall c \in C \quad (17)$$

$$\underline{W} y_c + M (1 - z_c) \quad \forall c \in C \quad (18)$$

$$x_p^c + x_{p^*}^c \leq y_c \quad \forall c \in C \quad (19)$$

$$\forall (p, p^*) |$$

$$(ST_{p^*} \leq ST_p < ET_p)$$

$$z_c \leq y_c \quad \forall c \in C \quad (20)$$

$$x_p^c \in \{0, 1\} \quad \forall c \in C, \forall p \in P \quad (21)$$

$$y_c \in \{0, 1\} \quad \forall c \in C \quad (22)$$

Constraints (13) ensure that each pairing must be assigned to exactly one crew complement. Constraints (14) represent that the total employed crew complements should not exceed the number of pairings (maximum number of employed crew complements). According to constraints (15), if the crew complement  $c$  is not employed ( $y_c = 0$ ), then this complement must not be assigned to any of

the pairings. Constraints (16) ensure that the total driving duration of each crew complement does not exceed the maximum allowable period of time ( $\bar{W}$ ). According to constraints (17) and (18), if the total workload of crew complement  $c$  is less than the minimum required duration ( $\underline{W}$ ), then binary variable  $z_c$  takes the value of unity. The relations (20) and (22) show the variables definition. Note that the value of the penalty costs for the short workloads ( $U_c$ ) depend on the sensitivity of the railway system to the acceptance or rejection of short workloads for each of the crew groups. The more unpleasant the acceptance of short workloads, the higher the value of the penalty costs, and therefore, the more tendency of the model to set the binary variables  $Z_c$  equal to zero”

Constraints (19) prevent the assignment of two overlapped pairings to the same crew complement. Figure 1 shows different possible states of two hypothetical pairings  $p$  and  $p^*$  rather to each other. In this figure,  $Dur_p$  is the duration of pairing  $p$ , which equals the difference between ending time and starting time of pairing  $p$  ( $ET_p$  and  $ST_p$ , respectively). Also,  $RT_p$  is the ending time of the rest duration of pairing  $p$ . The mentioned states are as follows:

State 1:  $RT_{p^*} < ST_p$

State 2:  $ST_{p^*} < RT_p$

State 3:  $ST_{p^*} < ST_p < RT_{p^*}$

State 4:  $ST_p < ST_{p^*} < RT_p$

If any two pairings are categorized in either state 1 or state 2, then they can simultaneously be assigned to a certain crew complement. On the other hand, the pairings whose relative state lies neither in state 1 nor state 2, are considered as the overlapped pairings and constraints (19) are applied merely for such pairings.

**4. Evaluation of the Proposed Models**

The evaluation of the proposed models is performed in two parts: at the first part, several examples with different characteristics are randomly generated. At the second part, the railway network of Islamic Republic of Iran is

investigated as a real-life system. To solve the problems in both parts, a computer with Core 2 CPU at 2.66 GHz and 4 GB RAM is used. The models are solved by CPLEX 12 software which automatically generates optimal solution of each problem.




Fig. 1. Different possible states of two hypothetical pairings  $p$  and  $p^*$  rather to each other

**4.1. Evaluation of the models: random examples**

For evaluating the models, various random examples were investigated. These examples were solved, by using the proposed “Transition Reduction” model. The characteristics of the examples are shown in Table 3.

Table 3. Characteristics of the random examples, used to evaluate “Transition Reduction” model

Examples	Number of random trips	Number of depositions	Minimum trip	Maximum trip	Minimum Gap	Maximum duration of a	Planning horizon
Ex .1	50 0	7	3	15	1	48	7
Ex .2	60 0	7	3	15	1	48	7
Ex .3	70 0	7	3	15	1	48	7
Ex .4	80 0	7	3	15	1	48	7
Ex .5	10 00	7	3	15	1	48	7

As mentioned in Section 2, the objective function of “Transition Reduction” model (Eq. (7)) aims to minimize both cost of the pairings and number of the transitions. Parameter  $C'_t$  is the transition penalty cost imposed for each transition of trip  $t$ . It is assumed that parameter  $C'_t$  is considered  $N$  times the trip cost ( $C_t$ ). In other words,  $C'_t$  is equal to  $N \times C_t$ , in which  $N$  is called transition penalty coefficient. For instance, if  $N$  equals 2, the transition penalty cost for each repetition of a trip is twice the cost of that trip.

Table 4. Results of crew scheduling problems with different transition penalty costs, for Ex.4

Model	Different scenarios	Pairings	Num. all feasible	Num. Optimal	Num. pairings with repeated trips	Num. repeated trips
			20315	322	86	
SCP	Sc. 1 ---	20315	322	86	29	
	Sc. 2 $N=1$	20315	323	69	19	
	Sc. 3 $N=2$	20315	319	67	19	
	Sc. 4 $N=3$	20315	324	63	17	
	Sc. 5 $N=4$	20315	323	57	13	
	Sc. 6 $N=5$	20315	318	54	11	
	Sc. 7 $N=10$	20315	312	54	11	

For each of the examples presented in Table 3, different values of  $N$  were examined to analyse the sensitivity of the model to transition penalty cost parameter. In Table 4, the results of the problems corresponding to different values of transition penalty costs, applied for Ex.4 are presented. Similar results can be obtained for other examples.

The results shown in Table 4, prove that the proposed Transition Reduction model is sensitive to the values of transition penalty coefficients. Regarding the objective function values of different scenarios in Table 4, it is shown that the best (least) value is corresponded

to the scenario which applies the unit transition penalty coefficient ( $N = 1$ ). In other words, the most appropriate value for the transition penalty cost of each repetition of a trip, may be equal to the cost of that trip.

Fig.2 illustrates the changes in number of repeated trips in different scenarios, for each of the examples.

According to Table 4 and Fig.2, it is understood that the larger the value of transition penalty coefficient, the fewer both the number of repeated trips and the number of pairing with repeated trips. By increasing the transition penalty coefficient, the rate of reduction in number of repeated trips decreases, but it does not tend to zero. It is worth mentioning that solving each of the above examples (Ex.1 to Ex.5) by Set Partitioning Problem (SPP) model (in which, no repeated trip is acceptable), leads to infeasibility.




Fig.2. changes of the repetitive trips in various scenarios of the second phase

As noted in Table 3, seven depots (railway stations) are considered in each of the examples. To solve the railway crew assignment in each depot, the model proposed in Section 3 is applied. The model is capable to determine minimum crew complements required to perform all pairings devolved to that depot. For instance, the results of applying the proposed model for crew assignment in one of the depots related to Ex.4, are shown in Table 5. In this table, different values are examined for maximum allowed duration for driving in a working shift ( $\bar{W}$ ) and minimum required duration for driving in a working shift ( $\underline{W}$ ). In



this table, the value of transition penalty coefficient is considered unity ( $N=1$ ).

According to Table 5, by increasing the maximum allowed duration for driving in a working shift ( $\bar{W}$ ), the minimum required crew complements decreases. As mentioned earlier, if the total workload of a crew complement is less than the  $\bar{W}$ , then a workload penalty cost is imposed. That is the case in P.7 and P.8 of Table 5, in which, the workload penalty costs are imposed to the objective function.

Table 5. Results of proposed crew assignment model for one of the depots related to Ex.4

Problems	Inputs				Outputs	
	$\bar{W}$ (Days)	$\bar{W}$	$n_{(crew)}$ Number of pairings, devolved to	Min crew	Objective Function Value	Computation Time
P.1	0	2	59	42	525404	3.4
P.2	0	2.5	59	35	455404	55.8
P.3	0	3	59	32	425404	1.78
P.4	0	4	59	32	425404	2.4
P.5	1	3	59	32	425404	2.9
P.6	1.5	3	59	32	425404	3.7
P.7	2	3	59	32	6425404	42.5
P.8	2.5	3	59	32	8425404	172.6

#### 4.2 Evaluation of the models for a real network: Iranian railways

The proposed models for crew scheduling and crew assignment problems are evaluated, based on the real trip information in Iranian railway network. This network has 18 regions and 27 depots as passenger stations, such that the passenger trips of the network are started from these depots. The information of all scheduled passenger trips of all regions are considered as input of the problem. In Fig. 3, all passenger depots of Iranian railway network are illustrated.

In this research, all of Iranian passenger train trips in a six-day planning horizon are as inputs of the problem. Based on Iranian railway conditions, the maximum time accepted for each pairing and the minimum gap between trips, are

28 hours and 1 hour (60 minutes), respectively. So, the number of all trips in six-day horizon is 1602 trips, which must be assigned by crew implements employed in 27 depots of Iranian railway network.

By regarding the conditions required to constitute trip sequences, 19025 feasible pairings were obtained for the trips of the network. To find the optimal solution of the railway crew scheduling problem, both set covering and Transition Reduction models were used.



Fig. 3. The passenger depots in Iranian railway network

The input data of the problem includes the timetable of all planned passenger trains of Iranian railways, in 2015. A sample of these data is presented in Table 6.

In Table 7, the results of the problems corresponding to different values of transition penalty costs, applied for Ex.4 are presented. Similar results can be obtained for other examples.

The results shown in Table 7 authenticate a significant reduction in both repeated trips and the pairings with repeated trips, when Transition Reduction model is applied. According to these results, the best value for transition penalty cost is corresponded to the scenario which applies the unit transition penalty coefficient ( $N = 1$ ). So,

## Two Mathematical Models for Railway Crew Scheduling Problem

for Iranian railway network, one can consider the transition penalty cost of a trip repetition, equal to the cost of that trip.

Table 6. Sample information of passenger train trips in Iranian railways network

Train No.	Origin	Destination	Start time (Min.)	End time (Min.)	Duration (Min.)	Frequency
37 2	Tehran	Mashhad	420	890	470	Every day
37 3	Mashhad	Tehran	420	895	475	Every day
37 6	Tehran	Mashhad	480	955	475	Every one day
37 7	Mashhad	Tehran	475	950	475	Every one day
58 0	Isfahan	Mashhad	915	200	108	Every day
58 1	Mashhad	Isfahan	935	201	108	Every day
52 0	Tehran	Isfahan	137	177	400	Every one day
52 1	Isfahan	Tehran	139	179	405	Every one day

Table 7. Results of crew scheduling problem, applied for Iranian railway network

Model	Different scenarios		Num. all feasible pairings	Num. Optimal pairings	Num. pairings with repeated trips	Num. repeated trips
	Scenarios	Pairings	pairings	pairings	repeated trips	
Transition Reduction	SCP	Sc.1 ---	19025	737	104	49
		Sc.2 $N = 1$	19025	727	76	37
		Sc.3 $N = 2$	19025	726	72	35
		Sc.4 $N = 3$	19025	724	52	25
		Sc.5 $N = 4$	19025	724	52	25
		Sc.6 $N = 5$	19025	724	52	25
		Sc.7 $N = 8$	19025	727	48	23
		Sc.8 $N = 9$	19025	727	48	23
		Sc.9 $N = 10$	19025	731	44	21
	Sc.10 $N = 100$	19025	732	44	21	

By using Transition Reduction model with unit transition penalty coefficient, the proposed model for crew assignment was conducted,

separately for different depots of Iranian railway network.

For instance, the results of applying the proposed model for crew assignment in “Yazd” depot are shown in Table 8.

Table 8. Results of proposed crew assignment model for “Yazd” depot

Problems	Inputs		Number of pairings, devolved to depot	Outputs	
	$\underline{W}$ (Days)	$\bar{W}$ (Days)		Minimum crew Complements required	Computation time (Second)
P. 1	0	2	40	20	64.4
P. 2	0	2.5	40	16	0.4
P. 3	0	3	40	16	0.2
P. 4	1	2.5	40	16	0.76
P. 5	1.5	2.5	40	16	1.3
P. 6	2	2.5	40	16	1.7
P. 7	2.5	2.5	40	16	12.2

Table 9. Results of crew assignment in some main depots of Iranian railway network

Depot	Tehran	Mashhad	Shahrood	Isfahan	Tabriz	Bandar Abbas	Yazd
	Results						
Number of pairings, devolved to depot	224	176	39	15	20	20	40
Minimum crew complements required	48	41	11	6	7	7	16
Computation time (Second)	1252	186	26	04	036	085	17

The results of Table 8 show that the appropriate values for the upper and lower workloads in Yazd depot, are 2.5 and 2 days, respectively. In Table 9, the results of crew assignment in some main depots of Iranian railway network are presented.

## 5. Conclusions

Railway crew scheduling problem is a substantial part of the railway transportation planning. This problem is based on the train timetable. In this timetable, the specifications of the trips are presented. A sequence of two or more trips is named as a pairing. In a railway crew schedule, all trips of the train timetable must be covered by the feasible pairings. The aim of the railway crew scheduling problem is to find the optimal combination of the pairings with lowest price, and assign them to the crew complements. A small improvement in crew scheduling can lead to huge savings in annual costs of the railway system, which can justify the competitiveness and profitability of the railway system for the operational companies. Therefore, optimizing the railway crew scheduling problem is of interest, in order to reduce the operational costs and increase the profitability of the system. In the optimal solution of the railway crew scheduling problem, each trip must be covered by at least one pairing. However, the multiple-covered trips would lead to impose useless transfers named as “transitions” in this paper. Transitions cause additional costs for the management system, leading to reduce the efficiency of the crew schedules. In this study, a new mathematical model for the railway crew scheduling problem, named as “Transition Reduction” model is suggested. It is capable of simultaneously minimizing both costs of the pairings and the number of transitions. In this model, transition penalty coefficient is used to consider the penalty of transitions in the objective function. Moreover, a new mathematical model is proposed to find the optimal solution of the railway crew assignment problem. This model attempts to minimize the total cost, including cost of assigning crew complements to the pairings, the fixed cost of employing crew complements and the penalty cost for the short workloads. To evaluate the proposed models, several random examples, as well as the railway network of Islamic Republic of Iran were investigated. The results demonstrated the capability of Transition

reduction model to decrease the number of repeated trips. It is found that the larger the value of transition penalty coefficient, the fewer both the number of repeated trips and the number of pairing with repeated trips. According to these results, the best value for transition penalty cost corresponds to the scenario which applies the unit transition penalty coefficient. Moreover, the evaluation results of the model proposed for the railway crew assignment shows the ability of this model to minimize the cost of assigning crew complements to the pairings and the fixed cost of crew employment, regarding the short workloads penalty cost.

## References

- [1] A. Caprara, Solution of large-scale railway crew planning problems: The Italian experience. *Lecture Notes in Economics and Mathematical Systems*, (1999), p. 1-18.
- [2] L. Kroon, The new Dutch timetable: The OR revolution. *Interfaces*, Vol.39, No.1, (2009), p. 6-17.
- [3] R. Hanafi, and E. Kozan, A hybrid constructive heuristic and simulated annealing for railway crew scheduling. *Computers & Industrial Engineering*, Vol.70, (2014), p. 11-19.
- [4] Y. Shen, J. Li, and K. Peng, An estimation of distribution algorithm for public transport driver scheduling. *International Journal of Operational Research*, Vol.28, No.2, (2017), p. 245-262.
- [5] M. Tamannaei, A double-track train rescheduling for incident conditions: optimisation model and decomposition method. *International Journal of Operational Research*, Vol.26, No.1, (2016), p. 62-87.
- [6] A.K. Khosravi, M.T. Tamannaei, and M. Reisi-Nafchi, A comprehensive approach for railway crew scheduling problem (case study: Iranian railway network). *International Journal of Transportation Engineering*, Vol.4, No.3, (2017), p. 197-210.
- [7] A. Caprara, Modeling and solving the crew rostering problem. *Operations research*, Vol.46, No.6, (1998), p. 820-830.
- [8] A.T. Ernst, An integrated optimization model for train crew management. *Annals of Operations Research*, Vol.108, No.1, (2001), p. 211-224.

- [9] A.M. Caprara, M. Monaci, and P. Toth. A global method for crew planning in railway applications. in In: Voß, S., Daduna, JR (Eds.), *Computer-Aided Scheduling of Public Transport*, Lecture Notes in Economics and Mathematical Systems, 505, (2001), Citeseer.
- [10] R. Freling, R.M. Lentink, and M.A. Odijk, Scheduling train crews: A case study for the Dutch railways. *Computer-aided scheduling of public transport*, (2001), p. 153-165.
- [11] R. Freling, D. Huisman, and A.P. Wagelmans, Models and algorithms for integration of vehicle and crew scheduling. *Journal of Scheduling*, Vol.6, No.1, (2003), p. 63-85.
- [12] A.M. Pourseyed and P.E. Salahi, Railway crew (conductors) programming using roundtrip and roster algorithms, (2006).
- [13] E. Abbink, Solving large scale crew scheduling problems by using iterative partitioning, (2008).
- [14] M. Yaghini and S. Ghanadpour, Railway crew scheduling using heuristic model, (2010).
- [15] T. Nishi, Y. Muroi, and M. Inuiguchi, Column generation with dual inequalities for railway crew scheduling problems. *Public transport*, Vol.3, No.1, (2011), p. 25-42.
- [16] Jütte, S. and U.W. Thonemann, Divide-and-price: A decomposition algorithm for solving large railway crew scheduling problems. *European Journal of Operational Research*, Vol.219, No.2, (2012), p. 214-223.
- [17] C. Shijun, A crew scheduling with chinese meal break rules. *Journal of Transportation Systems Engineering and Information Technology*, Vol.13, No.2, (2013), p. 90-95.
- [18] S. Chen and Y. Shen, An improved column generation algorithm for crew scheduling problems. *Journal of Information and Computational Science*, Vol.10, No.1, (2013), p. 175-183.
- [19] Y. Shen, Evolutionary crew scheduling with adaptive chromosomes. *Transportation Research Part B: Methodological*, Vol.56, (2013), p. 174-185.
- [20] M. Yaghini, M. Karimi, and M. Rahbar, A set covering approach for multi-depot train driver scheduling. *Journal of Combinatorial Optimization*, Vol.29, No.3, (2015), p. 636-654.
- [21] K. Peng and Y. Shen, An evolutionary algorithm based on grey relational analysis for crew scheduling. *Journal of Grey System*, Vol.28, No.3, (2016).
- [22] W. Zhou, Crew scheduling considering both crew duty time difference and cost on urban rail system. *PROMET-Traffic&Transportation*, Vol.28, No.5, (2016), p. 449-460.
- [23] K. Hoffmann, Solving practical railway crew scheduling problems with attendance rates. *Business & Information Systems Engineering*, Vol.59, No.3, (2017), p. 147-159.
- [24] C.G. Guillermo and M.R.L. José. Hybrid algorithm of tabu search and integer programming for the railway crew scheduling problem. in *Computational Intelligence and Industrial Applications*, 2009. PACIIA 2009. Asia-Pacific Conference on. (2009), IEEE.
- [25] R.S. Kwan, Case studies of successful train crew scheduling optimisation. *Journal of Scheduling*, Vol.14, No.5, (2011), p. 423-434.
- [26] S. Jütte, Optimizing railway crew scheduling at DB Schenker. *Interfaces*, Vol.41, No.2, (2011), p. 109-122.
- [27] C. Gao, T. Weise, and J. Li, Improve the 3-flip neighborhood local search by random flat move for the set covering problem. in *International Conference in Swarm Intelligence*. (2014), Springer.